

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021

Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: AT FRESH INSIDE EXTREME MAGIC**
- **UFI: W410-E07V-300D-8NQ3**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Life cycle stages PW** Widespread use by professional workers
- **Sector of Use SU22** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category PC28** Perfumes, fragrances
- **Application of the substance / the mixture** Antiperspirant
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
ADRIATEH d.o.o.
Zagrebačka ulica 2, 10431 Sveta Nedelja,
Novaki, HRVATSKA
Tel. +013335-120
www.adriateh.hr
info@adriateh.hr
- **1.4 Emergency telephone number:** In case of accident call the emergency number 112

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
Amberonne
alpha-Hexylcinnamaldehyde
Coumarin
- **Hazard statements**
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 1)

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P102 Keep out of reach of children

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P333+P313 easy to do. Continue rinsing.

P337+P313 If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

- Additional information:

Keep out of the reach of children

- 2.3 Other hazards**- Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures**- Description:** Mixture of substances**- Dangerous components:**

CAS: 69011-36-5 EC: 500-241-6	Isotridecyl alcohol polyoxyethylene ether ☞ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302	1-<3%
CAS: 56539-66-3 EC: 260-252-4 Reg.nr.: 01-2119976333-33	3-Methoxy-3-methyl-1-butanol ☠ Eye Irrit. 2, H319	1-<3%
CAS: 54464-57-2 EC: 259-174-3	Amberonne ☞ Aquatic Chronic 2, H411; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317	1-<3%
CAS: 1222-05-5 EC: 214-946-9 Reg.nr.: 01-2119488227-29	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ☞ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<1%
CAS: 101-86-0 EC: 202-983-3	alpha-Hexylcinnamaldehyde ☠ Skin Sens. 1, H317	<1%
CAS: 68424-85-1 EC 270-252-2	Aquatic Skin Corr. ☠ Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides Acute 1, H400; Aquatic Chronic 1, H410; Met.Corr. 1 H290, Acute Tox 4, H302, 1B H314, Eye Dam. 1 H318	<1%
CAS: 78-70-6 EC: 201-134-4 Reg.nr.: 01-2119474016-42	Linalool ☠ Eye Irrit. 2, H319; Skin Sens. 1B, H317	<1%
CAS: 91-64-5 EC: 202-086-7 Reg.nr.: 01-2119949300-45	Coumarin ☠ Acute Tox. 4, H302; Skin Sens. 1, H317	<1%

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures**- General information** If you do not feel well, seek medical advice. Never give anything by mouth to an unconscious person.**- After inhalation** Supply fresh air; consult doctor in case of symptoms.**- After skin contact** In case of skin contact, remove clothes and wash affected area with water for at least 15 minutes. Seek medical advice if necessary.**- After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.**- After swallowing** Rinse out mouth with water. Do not induce vomiting. Ask a doctor for help.**- 4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions**- 4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irrigation

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 2)

Medical supervision for at least 48 hours

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases. Fireproof suit
Protection means for respiratory tract
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Protective gloves. (EN ISO 374)
- **For non-emergency personnel**
Ensure adequate ventilation
Keep away from ignition sources
Wear protective clothing.
- **For emergency responders**
PVC gloves
Nitrile rubber, NBR
- **6.2 Environmental precautions:**
Inform respective authorities in case product reaches water or sewage system.
Dilute with much water.
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Remove all sources of heat, open flames and sparks. Take measures against the accumulation of electrostatic charge
Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work. Do not eat, drink or smoke while working.
- **Information about protection against explosions and fires:** Protect from heat.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Class according to regulation on inflammable liquids:** Void

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 3)

- 7.3 **Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 **Control parameters**- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs****69011-36-5 Isotridecyl alcohol polyoxyethylene ether**

Dermal	Systemic long-term effects	2,080 mg/Kg bw/day (Industrial Workers)
Inhalative	Systemic long-term effects	294 mg/m ³ (Industrial Workers)

56539-66-3 3-Methoxy-3-methyl-1-butanol

Oral	Systemic Long-term Effects	2.5 mg/Kg bw/day (Consumers)
Dermal	Systemic long-term effects	6.25 mg/Kg bw/day (Industrial Workers)
		3.1 mg/Kg bw/day (Consumers)
Inhalative	Systemic long-term effects	18 mg/m ³ (Industrial Workers)
		4.4 mg/m ³ (Consumers)

54464-57-2 Amberonne

Oral	Systemic Long-term Effects	0.25 mg/Kg bw/day (Consumers)
Dermal	Systemic long-term effects	1.73 mg/Kg bw/day (Industrial Workers)
	Systemic Short-term Effects	1.73 mg/Kg bw/day (Industrial Workers)
Inhalative	Systemic long-term effects	1.76 mg/m ³ (Industrial Workers)
		0.43 mg/m ³ (Consumers)
	Systemic Short-term Effects	1.76 mg/m ³ (Industrial Workers)

18479-58-8 Dihydromyrcenol

Oral	Systemic Long-term Effects	12.5 mg/Kg bw/day (Consumers)
Inhalative	Systemic long-term effects	73.5 mg/m ³ (Industrial Workers)
		21.7 mg/m ³ (Consumers)

101-86-0 alpha-Hexylcinnamaldehyde

Dermal	Systemic long-term effects	18.2 mg/Kg bw/day (Industrial Workers)
		9.11 mg/Kg bw/day (Consumers)
Inhalative	Local short-term effects	6.28 mg/m ³ (Industrial Workers)
		4.71 mg/m ³ (Consumers)
	Systemic long-term effects	0.078 mg/m ³ (Industrial Workers)
		0.019 mg/m ³ (Consumers)

78-70-6 Linalool

Oral	Systemic Long-term Effects	0.2 mg/Kg bw/day (Consumers)
Dermal	Systemic long-term effects	2.5 mg/Kg bw/day (Industrial Workers)
		1.25 mg/Kg bw/day (Consumers)
Inhalative	Systemic long-term effects	2.8 mg/m ³ (Industrial Workers)
		0.7 mg/m ³ (Consumers)

91-64-5 Coumarin

Oral	Systemic Long-term Effects	0.39 mg/Kg bw/day (Consumers)
Dermal	Systemic long-term effects	0.79 mg/Kg bw/day (Industrial Workers)
		0.39 mg/Kg bw/day (Consumers)
Inhalative	Systemic long-term effects	6.78 mg/m ³ (Industrial Workers)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 4)

	1.69 mg/m ³ (Consumers)
- PNECs	
69011-36-5 Isotridecyl alcohol polyoxyethylene ether	
<i>PNEC STP</i>	1.4 mg/L (STP)
<i>Soil</i>	0.1 mg/Kg (Soil)
<i>Soft Water</i>	0.074 mg/L (Water)
<i>Sea water</i>	0.007 mg/L (Water)
<i>Sediment (soft water)</i>	0.604 mg/Kg (Soil)
<i>Sediment (sea water)</i>	0.06 mg/Kg (Soil)
54464-57-2 Amberonne	
<i>Soil</i>	0.705 mg/Kg (Soil)
<i>Soft Water</i>	0.0028 mg/L (Water)
<i>Sea water</i>	0.00028 mg/L (Water)
<i>Sediment (soft water)</i>	3.73 mg/Kg (Soil)
<i>Sediment (sea water)</i>	0.75 mg/Kg (Soil)
18479-58-8 Dihydromyrcenol	
<i>PNEC STP</i>	10 mg/L (STP)
<i>Soil</i>	0.103 mg/Kg (Soil)
<i>Sediment (soft water)</i>	0.594 mg/Kg (Soil)
<i>Sediment (sea water)</i>	0.059 mg/Kg (Soil)
101-86-0 alpha-Hexylcinnamaldehyde	
<i>Soft Water</i>	0.00126 mg/L (Water)
<i>Sea water</i>	0.000126 mg/L (Water)
<i>Sediment (soft water)</i>	3.2 mg/Kg (Soil)
91-64-5 Coumarin	
<i>PNEC STP</i>	6.4 mg/L (STP)
<i>Soil</i>	0.018 mg/Kg (Soil)
<i>Sediment (soft water)</i>	0.15 mg/Kg (Soil)
<i>Sediment (sea water)</i>	0.015 mg/Kg (Soil)

- **Additional information:** The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Hand protection**



Protective gloves. (EN ISO 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

PVC gloves
Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 5)

- Eye/face protection

Safety glasses recommended during refilling.

- Environmental exposure controls Disposal must be made according to official regulations.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties**- General Information**

- Physical state	Fluid
- Colour:	Ember coloured
- Odour:	Pleasant
- Odour threshold:	Not determined.
- Melting point/freezing point:	Not determined
- Boiling point or initial boiling point and boiling range	100 °C
- Flammability	Not applicable.
- Lower and upper explosion limit	
- Lower:	Not determined.
- Upper:	Not determined.
- Flash point:	Not applicable
- Decomposition temperature:	Not determined.
- pH at 20 °C	7
- Viscosity:	
- Kinematic viscosity	Not determined.
- dynamic:	Not determined.
- Solubility	
- Water:	Fully miscible
- Partition coefficient n-octanol/water (log value)	Not determined.
- Vapour pressure:	Not determined.
- Density and/or relative density	
- Density at 20 °C	1.01 g/cm ³
- Relative density	Not determined.
- Vapour density	Not determined.

- 9.2 Other information

- Appearance:	
- Form:	Liquid
- Important information on protection of health and environment, and on safety.	
- Self-inflammability:	Product is not selfigniting.
- Explosive properties:	Product is not explosive.
- Change in condition	
- Evaporation rate	Not determined.

- Information with regard to physical hazard classes

- Explosives	Void
- Flammable gases	Void
- Aerosols	Void
- Oxidising gases	Void
- Gases under pressure	Void
- Flammable liquids	Void
- Flammable solids	Void
- Self-reactive substances and mixtures	Void
- Pyrophoric liquids	Void
- Pyrophoric solids	Void

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 6)

- Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable gases in contact with water	Void
- Oxidising liquids	Void
- Oxidising solids	Void
- Organic peroxides	Void
- Corrosive to metals	Void
- Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under normal conditions
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity

- LD/LC50 values that are relevant for classification:

69011-36-5 Isotridecyl alcohol polyoxyethylene ether		
Oral	LD50	300-2,000 mg/Kg (Rat)
Dermal	LD50	>2,000 mg/Kg (Rat)
56539-66-3 3-Methoxy-3-methyl-1-butanol		
Oral	LD50	4,400 mg/Kg (Rat)
Dermal	LD50	>2,000 mg/Kg (Rat)
54464-57-2 Amberonne		
Oral	LD50	>5,000 mg/Kg (Rat)
Dermal	LD50	>5,000 mg/Kg (Rabbit)
		>5,000 mg/Kg (Rat)
1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran		
Oral	LD50	>4,640 mg/Kg (Rat)
Dermal	LD50	>6,500 mg/Kg (Rat)
18479-58-8 Dihydromyrcenol		
Oral	LD50	3,600 mg/Kg (Rat)
Dermal	LD50	>5,000 mg/Kg (Rabbit)
101-86-0 alpha-Hexylcinnamaldehyde		
Oral	LD50	3,100 mg/Kg (Rat)
Dermal	LD50	>3,000 mg/Kg (Rabbit)
85409-22-9 Quaternary ammonium compounds, benzyl-C12-14-alkyldimethyl, chlorides		
Oral	LD50	400 mg/Kg (Rat)
78-70-6 Linalool		
Oral	LD50	2,200 mg/Kg (Mouse)
		2,790 mg/Kg (Rat)
Dermal	LD50	5,610 mg/Kg (Rabbit)

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 7)

91-64-5 Coumarin

Oral LD50 520 mg/Kg (Rat)

Dermal LD50 293 mg/Kg (Rat)

- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **11.2 Information on other hazards**

- Endocrine disrupting properties

1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

List II

128-37-0 Butylated hydroxytoluene

List II

SECTION 12: Ecological information**- 12.1 Toxicity****- Aquatic toxicity:****69011-36-5 Isotridecyl alcohol polyoxyethylene ether**

LC50 (96h) 1-10 mg/L (Fish)

EC50 (48h) 1-10 mg/L (Daphnia)

EC50 (72h) 1-10 mg/L (Algae)

56539-66-3 3-Methoxy-3-methyl-1-butanol

LC50 (96h) >100 mg/L (Fish)

EC50 (48h) >1,000 mg/L (Daphnia)

54464-57-2 Amberonne

LC50 (96h) 1.3 mg/L (Fish)

EC50 (48h) 1.38 mg/L (Daphnia)

EC50 (72h) 2.6 mg/L (Algae)

1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

EC50 (48h) >0.9 mg/L (Daphnia)

LC50 (48h) 0.47 mg/L (Daphnia)

18479-58-8 Dihydromyrcenol

LC50 (96h) >4.81 mg/L (Fish)

EC50 (96h) 3.88 mg/L (Algae)

LC50 (48h) 5.7 mg/L (Daphnia)

101-86-0 alpha-Hexylcinnamaldehyde

LC50 (96h) 1.7 mg/L (Fish)

EC50 (48h) 0.247 mg/L (Daphnia)

EC50 (72h) 0.32 mg/L (Algae)

91-64-5 Coumarin

LC50 (96h) 2.94 mg/L (Fish)

EC50 (72h) 1.45 mg/L (Algae)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 8)

- Additional ecological information:**- General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

Harmful to aquatic organisms

SECTION 13: Disposal considerations**- 13.1 Waste treatment methods****- Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:**- Recommendation:** Disposal must be made according to official regulations.**- Recommended cleaning agent:** Water, if necessary with cleaning agent.**SECTION 14: Transport information****- 14.1 UN number or ID number****- ADR, IMDG, IATA**

Void

- 14.2 UN proper shipping name**- ADR, IMDG, IATA**

Void

- 14.3 Transport hazard class(es)**- ADR, IMDG, IATA****- Class**

Void

- 14.4 Packing group**- ADR, IMDG, IATA**

Void

- 14.5 Environmental hazards:

Not applicable.

- 14.6 Special precautions for user

Not applicable.

- 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information**- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****- Directive 2012/18/EU****- Named dangerous substances - ANNEX I** None of the ingredients is listed.**- National regulations****- Classification according to VbF:** Void**- Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.**- 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information****- Relevant phrases**

H290 May corrode metals

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye injuries

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 04.05.2021.

Version number 1

Trade name: AT FRESH INSIDE EXTREME MAGIC

(Contd. of page 9)

*H400 Very toxic to aquatic life.**H410 Very toxic to aquatic life with long lasting effects.**H411 Toxic to aquatic life with long lasting effects.*- **Department issuing data specification sheet:** Ma-Fra Laboratories- **Contact:** lab@mafra.it- **Abbreviations and acronyms:***ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)**DNEL: Derived No-Effect Level (UK REACH)**PNEC: Predicted No-Effect Concentration (UK REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 4: Acute toxicity – Category 4**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Skin Sens. 1: Skin sensitisation – Category 1**Skin Sens. 1B: Skin sensitisation – Category 1B**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2**Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*